

Planner

Control in the edit form

Content

1	Basic information	4
1.1	Description of the control	4
1.2	Create a new control	4
1.3	Edit or delete a control	4
2	List of tabs in the control settings dialog	5
2.1	“General” tab	6
2.1.1	Name	6
2.1.2	Dictionary	6
2.1.3	Width	7
2.1.4	Data source	7
2.1.5	From - to	7
2.1.6	From	7
2.1.7	To	7
2.1.8	Title	7
2.1.9	Resource	7
2.1.10	Color	7
2.1.11	Options	7
2.2	“Resources” tab	9
2.2.1	Resources	9
2.2.2	Save resource ID in the database	9
2.3	“Availability” tab	10
2.3.1	Data source	10
2.3.2	From	10
2.3.3	To	10
2.3.4	Title	10
2.3.5	Source	10
2.4	Text tab	11
2.4.1	Columns	11
2.5	Tooltip tab	12
2.5.1	Columns	12

2.6	“Help” tab	13
2.6.1	Help	13
2.7	“Rights” tab	15
2.7.1	Rights	15
2.7.2	Replace rights to other controls	15

1 Basic information

1.1 Description of the control

Planner is a multi-source planning calendar.


1.2 Create a new control

A new planner can be created as follows from the edit form using the toolbar with controls:

- First, the position in which the new planner is to be placed is determined by clicking the mouse in the edit form. This will highlight the selected position with a gray horizontal line. Then just click on the “Planner” item in the toolbar of the edit form, fill in the attributes of the new control in the newly opened dialog, and then save. This will insert a new planner at the pre-selected location of the edit form.
- If the required position is not determined before inserting the new planner, the new planner will be inserted at the end of the edit form.

1.3 Edit or delete a control

- For each existing control, a pencil icon appears on the left side of the edit form to change or delete the control's settings.
- Individual controls can be moved vertically in the edit form using the Drag&Drop method. Moving consists of grabbing the control, preferably behind its name located in the left column of the edit form, and then dragging it to the desired position in the edit form.
- For security reasons, it is important to have the function of moving controls enabled using the “Drag&Drop” check box located above the toolbar with controls. This field is unchecked each time you log in to the application.



2 List of tabs in the control settings dialog

General	Setting general properties
Resources	Setting up scheduling calendar resources
Availability	Availability settings
Text	Setting the columns displayed in the planning calendar
Tooltip	Settings for columns displayed in details
Help	Help text settings
Rights	Rights settings

2.1 “General” tab

General	Resources	Availabilities	Text	Tooltip	Help	Rights
* Name	<input type="text"/>	<i>Dictionary...</i>				
Width	<input type="text"/> px	<i>10 - 10 000px</i>				
* Data source	Modify query					
From-To	<input type="text"/> ▾					
* From	<input type="text"/> Created on ▾					
* To	<input type="text"/> Created on ▾					
* Title	<input checked="" type="checkbox"/> Time +					
	<input type="text"/> Latitude ▾					
Resource	<input type="text"/> ▾					
Color	<input type="text"/>					
Options	<input checked="" type="checkbox"/> Allow entering new records <input type="checkbox"/> Run script <input type="checkbox"/> Deny opening records <input type="checkbox"/> Deny Drag&Drop <input type="checkbox"/> Show abbreviated name of the day <input type="checkbox"/> Allow multiple assignments					

Save
Delete

2.1.1 Name

- The name of the control displayed in the header of the planning calendar.

2.1.2 Dictionary

- The dictionary lists the names of other controls, forms, view pages, categories, applications, and application groups used across the entire application.
- The dictionary search is used to design the correct control name and to maintain the consistency of the nomenclature throughout the application so that controls with the same meaning located in different places in the application are named in the same way.

2.1.3 Width

- The width of the control, expressed in pixels.
- If you do not fill in this input field, the width of the planning calendar will be set to the maximum screen width.

2.1.4 Data source

- The data source defines the source database records displayed in the planning calendar.
- Data source settings are made in the graphical designer of database queries. A detailed description of the database query designer is provided in the separate “Database Query Designer” guide.

2.1.5 From - to

- Select a column that determines whether the event in the planning calendar is one-day/multi-day.

2.1.6 From

- Select a column that specifies the start date of the event in the planning calendar.

2.1.7 To

- Select a column that specifies the end date of the event in the planning calendar.

2.1.8 Title

- Select a column that specifies the title of the event in the planning calendar.
 - **Time** – Checking this box specifies whether the time of the event should be in addition to the title in the format “HH:mm”.

2.1.9 Resource

- Select a column that specifies the source of the event in the planning calendar.
- Resources are displayed as individual columns of a Gantt chart.

2.1.10 Color

- Default color of all events in the planning calendar.
- Each event can have its own color set. In the data source settings, the “Color by” column must be set, according to which the color of the event is determined.

2.1.11 Options

- **Allow entering new records**
 - Checking this box determines whether the user should be allowed to be redirected to a specific edit form in order to create a new record in the database. by clicking on a free space in the cell of the planning calendar.

- **Run script**

- Checking this box determines whether a script should be run before entering the edit form to create a new record in the database, which typically plans to populate other values using the “SCHEDULEDEFAULTVALUE” or “SCHEDULEDEFAULTVALUES” server function. A detailed description of the server functions is given in the separate “Server Functions” manual.
- The following variables can be used in the script. A detailed description of the variables is given in a separate manual “Variables”.
 - #planners#
 - #plannerresource#
 - #plannerresourcefrom#
 - #plannerresourcecto#
 - #plannerto#

- **Deny opening records**

- Checking this box determines whether all users should be denied access to the edit form in order to open the displayed database record by clicking on an event in the planning calendar.

- **Deny Drag&Drop**

- Checking this box determines whether drag&Drop calendar events should be disabled.


- **Show abbreviated name of the day**

- Checking this box determines whether the abbreviated name of the day should be displayed in the lines of the planning calendar along with the date of the day.

- **Allow multiple assignments**

- Checking this box determines whether a text box or a drop-down list with the selected value should be displayed in the planning calendar instead of the control value itself, with the option to change the value without having to open and edit the record in the edit form.
 - This function is applied only to controls that have the “Allow multiple assignments” check box selected on the “General” tab.
 - Multiple assignments can only be made by a logged-in user, a text box or a read-only drop-down list is displayed to the anonymous user.


2.2 “Resources” tab



General **Resources** Availabilities Text Tooltip Help Rights

Resources Separated by Enter
 From query

Save Delete



General **Resources** Availabilities Text Tooltip Help Rights

Resources Separated by Enter
 From query

New query

Options Save resource ID to the database

Save Delete

2.2.1 Resources

- Definition of resources that appear as individual columns of the planning calendar.
- The source radio button contains the following two types of source definition:
 - **Separated by Enter** - the list of source values is set manually, in the text field using values separated by enter
 - **From query** – the list of resources defines a database query, which is evaluated when opening or updating the edit form

2.2.2 Save resource ID in the database

- Checking this box determines whether the database event records have a foreign key value stored in the resource value that references the primary key of the resource.

2.3 “Availability” tab

General	Resources	Availabilities	Text	Tooltip	Help	Rights
<p>Data source New query</p> <p>From <input type="text"/></p> <p>To <input type="text"/></p> <p>Title <input type="text"/></p> <p>Resource <input type="text"/></p> <p style="text-align: right;"> <input type="button" value="Save"/> <input type="button" value="Delete"/> </p>						

- Availability definitions that determine the background color of individual planning calendar cells.
- Availability visually highlights the days when it is possible to schedule a new event. Available days have a gray background, unavailable days have a white background.

2.3.1 Data source

- The data source defines the source database availability records in the planning calendar.
- Data source settings are made in the graphical designer of database queries. A detailed description of the database query designer is provided in the separate “Database Query Designer” guide.

2.3.2 From

- Select a column that specifies the start date of availability in the planning calendar.

2.3.3 To

- Select a column that specifies the end date of availability in the planning calendar.


2.3.4 Title

- A column selection that specifies the availability title in the planning calendar, displayed as a tooltip over a given day and resource.

2.3.5 Source

- Select a column that specifies the source of availability in the planning calendar – the source for which availability is intended.

2.4 Text tab



General Resources Availabilities **Text** Tooltip Help Rights

Columns

Available

- Event
- Latitude
- Longitude
- Created by
- Created on
- Modified by
- Modified on

Selected

>> > < <<

>> ^ v <<

Save Delete

2.4.1 Columns

- Definition of the columns displayed in the planning calendar event text box.


2.5 Tooltip tab

General	Resources	Availabilities	Text	Tooltip	Help	Rights
Columns						
Available		Selected				
Event						
Latitude						
Longitude						
Created by						
Created on						
Modified by						
Modified on						
		»			»	
		>			^	
		<			v	
		«			»	
				Save		Delete

2.5.1 Columns

- Definition of the columns of details displayed when hovering the mouse over a planning calendar event.

2.6 “Help” tab



General Resources Availabilities Text Tooltip **Help** Rights

Help Text From query


Save Delete

2.6.1 Help

- Help is the text displayed in the tooltip after clicking on the question mark icon, which is located in the header of the planning calendar.
- Help text supports simple text formatting using wiki syntax:
 - `'''Bold text'''`
 - `"Italics"`
 - `''''Bold italics''''`
 - `"""Text enclosed in double quotes"""`
 - Lists:
 - `* Heading 1`
 - `** Subheading 1.1`
 - `** Subheading 1.2`
 - `* Heading 2`
 - `* Heading 3`
 - `# Numbered heading 1`
 - `## Numbered subheading 1.1`
 - `## Numbered subheading 1.2`
 - `# Numbered heading 2`
 - `# Numbered heading 3`

- The help radio button contains the following two types of help definitions:
 - **Text** – help text defines a manually entered text string located in a multi-line text field below the radio button
 - **From query** – the help text defines the result of a database query, which is evaluated when opening the edit form

2.7 “Rights” tab



General Resources Availabilities Text Tooltip Help **Rights**

Rights Available Selected

External Users
Anonymous

Users

»
>
<
«

⇧
^
v
⇩

Replace rights to other controls Show...

Save Delete

2.7.1 Rights

- Rights define a list of user groups and users who have permission to view the control on the edit form.

2.7.2 Replace rights to other controls

- The “Replace rights to other controls” function is used to unify the rights within the entire edit form for controls that are related in terms of rights.
- Thanks to the “Show...” link, it is possible to display a list of all controls in the edit form, including setting the rights of these controls. For each control, a check box is displayed that allows you to select the control. When you save a control, the same rights are then set for those selected controls.
- An alternative for unifying rights within the entire edit form is to display the report available from the “Subordinate object rights” tab in the edit form settings.