



Edit form

Framework NET Genium



Content

1	List of tabs in the edit form settings dialog	4
1.1	“General” tab	5
1.1.1	Name	5
1.1.2	Dictionary	5
1.1.3	Options	5
1.2	“Other” tab.....	6
1.2.1	Primary key.....	6
1.2.2	Record locking	6
1.2.3	Options	7
1.3	“Help” tab.....	8
1.3.1	Width of floating help.....	8
1.3.2	Options	9
1.3.3	Help	9
1.3.4	Notes	9
1.4	“Editing rights” tab	10
1.4.1	Co-owners of the records	10
1.4.2	Editing rights – options.....	10
1.5	“Rights of child objects” tab	11
1.5.1	Options	11
1.6	“Administration” tab	12
1.6.1	Location	12
1.6.2	Identifier	12
1.6.3	Commands.....	14
1.6.4	Index 1	14
1.6.5	Index 2	14
1.6.6	Delete history older than.....	14
1.6.7	C#/JavaScript	14
1.6.8	Statistics	15
1.6.9	Logging	15
1.6.10	History	16

2	Sync settings	17
2.1	List of servers with which data is synchronized.....	17
2.2	Link to setting up a new server	18
2.3	Server settings	19
2.3.1	Name	19
2.3.2	URL	19
2.3.3	Synchronisation password.....	19
2.3.4	Intranet URL	20
2.3.5	Language	20
2.3.6	Options	20
2.4	Link to new sync settings	22
2.5	Sync settings.....	23
2.5.1	Server	23
2.5.2	Edit form.....	23
2.5.3	Condition for synchronisation.....	23
2.5.4	Columns.....	23
2.6	One-time synchronization of all data	24

1 List of tabs in the edit form settings dialog

General	Setting general properties
Other	Primary key settings, locks, change tracking and javascript
Help	Set up floating help text and group controls
Editing rights	Rights settings
Rights of child objects	Setting the rights of child controls
Administration	Setting other properties

1.1 “General” tab



General Other Help Editing rights

* **Name** *Dictionary...*

Options Tab General + Other
 Change tracking + Watcher

Save Delete

1.1.1 Name

- The name of the edit form ideally determines the name of one database record, expressed in a single number, which is stored in the database table associated with the form.
- The name of the edit form is displayed in the title of the web browser tab.

1.1.2 Dictionary

- The dictionary displays a list of application group names, applications, categories, view pages, edit forms, and controls used throughout the application.
- The dictionary search is used to suggest the correct name for the edit form and to maintain the consistency of the nomenclature throughout the application.

1.1.3 Options

- **Tab General + Other**
 - Checking this box determines whether the “Tab” and “Other” tab controls should also be created when creating a new edit form.
- **Change tracking + Watcher**
 - Checking this box determines whether change tracking controls should also be created when creating a new edit form:
 - “History” control
 - “Watcher” control
 - Created by
 - Created on
 - Modified by
 - Modified on

1.2 “Other” tab

General	Other	Help	Editing rights	Rights of child objects	Administration
---------	--------------	------	----------------	-------------------------	----------------

Primary key	<input checked="" type="radio"/> Integer	<input type="radio"/> Long
Record locking	<input type="text"/>	minutes
Options	<input type="checkbox"/> Log opening records	
	<input type="checkbox"/> Disable history of records	
	<input type="checkbox"/> Disable JavaScript	

Save	Delete
------	--------

1.2.1 Primary key

- The primary key specifies the data type of the primary key – the database column “id”, which is part of every database table in NET Genium.
- The data type of the primary key can be changed from Integer to Long at any time, but a reverse change from Long to Integer is not possible.
- Before changing the primary key to Long, it is important to ensure that external functions, services, or other applications that work with the database table function properly. These are mainly DataSaver or DataSaverSynchro objects that must be changed to DataSaver2 and DataSaverSynchro2.


1.2.2 Record locking

- Record locking provides automatic control of user access to database records in this form. A detailed description of locking records is given in a separate manual “Administrator's Guide”.
- The use of locks is activated by entering the time interval in minutes during which the lock is to be active. After this interval, the lock is automatically released.

1.2.3 Options

- **Log opening records**
 - Checking this box determines whether each opening of a database record in the edit form should be recorded in the change tracking history.
- **Disable history of records**
 - Checking this box determines whether database record history logging should be disabled.
 - Completing the logging completely, or even temporarily, is recommended before bulk editing or deleting database records, where each change or deletion of a database record creates one record in the change tracking history.
- **Disable JavaScript**
 - Checking this box determines whether to disable the execution of control javascript events, as well as the generation of JavaScript control content.
 - This option is used in situations where the edit form is looped by inappropriate javascript. In some cases, it is not even possible to open the edit form settings in the usual way, and it is necessary to use reports to do so. A detailed description of the reports is given in a separate manual "Reports".

1.3 “Help” tab



General Other **Help** Editing rights Rights of child objects Administration

Width of floating help px *50 - 1 000px*

Options Automatic grouping

Notes

Save Delete

1.3.1 Width of floating help

- The width of the floating help determines the width of the help box for the edit form located in the upper right corner of the form. This box is displayed independently of the vertical scroll in the edit form.
- The floating box also includes the contents of all “RichText” and “HTML” controls with the “Floating help in edit form” check box selected. This content is located behind the help of the edit form in the order that these controls have in the edit form.
- If the width is not filled, the default width of the floating box of 200 pixels is used.

1.3.2 Options

- **Automatic grouping**

- If “Automatic grouping” is checked, a bulleted list of all help controls located on the same row will be automatically generated in the help column of each edit form control, with the option to click the bulleted list item and display the help text.
- If “Automatic grouping” is not checked, the help for controls to the left of snap-on controls is not displayed.
- Help grouping is used for controls that have the “Snap to previous control” check box selected.


1.3.3 Help

- Help is the text displayed in the upper right corner of the edit form inside the floating box.
- The floating box also includes the contents of all “RichText” and “HTML” controls with the “Floating help in edit form” check box selected. This content is located behind the help of the edit form in the order that these controls have in the edit form.

1.3.4 Notes

- Notes are used to enter any text intended for the application administrator.
- Calls to server functions that control the behavior of the edit form are placed in the notes:
 - DISABLEAUTOFILL()
 - LOWRESOLUTION()
- The definition of the database view is placed in the notes if the edit form is set to read data from the database view.

1.4 “Editing rights” tab



General Other Help **Editing rights** Rights of child objects Administration

Co-owners of records

Available

External Users
Anonymous

Selected

Users

»
>
<
«

⌆
^
v
⌇

Editing rights Owner or co-owner of the record
 Co-owner of the record only

Save Delete

1.4.1 Co-owners of the records

- Record co-owners define a list of user groups and users who extend ownership of database records. In addition to the owner of the record, i.e. the user who created the database record, they extend ownership by other users who automatically become co-owners of all records in the database table. A detailed description of co-ownership of records is given in a separate manual “Administrator's Guide”.

1.4.2 Editing rights – options

- Owner or co-owner of the record** – database records in the edit form can be edited only by the owner or co-owner of the record.
- Co-owner of the record only** – database records in the edit form can be edited only by the co-owner of the record.

1.5 “Rights of child objects” tab

General

Other

Help

Editing rights

Rights of child objects

Administration

Rights

Available

External Users

Users

Anonymous

Selected

Show summary...

»

>

<

«

»

^

v

»

Options

Replace rights in all child objects

Add selected rights to all child objects

Remove selected rights in all child objects

Save

Delete

- Rights define a list of user groups and users who have permission to display controls on an edit form and to display the values of those controls elsewhere in the application.
- The properties of the edit form are only the settings of the co-owners of the records, anyone has the right to enter the edit form. It is up to setting the rights of individual form controls, what everything is displayed to the user in the edit form.

1.5.1 Options

- **Replace rights in all child objects** - Checking this box determines whether the rights settings in all child controls should be overwritten to the same permissions as those set in the edit form itself when the edit form is saved.
- **Add selected rights to all child objects** - Checking this box determines whether all selected application groups and users should be added to all child controls when saving the edit form.
- **Remove selected rights in all child objects** - Checking this box determines whether all selected application groups and users should be removed from all child controls when saving the edit form.

1.6 “Administration” tab

General
Other
Help
Editing rights
Rights of child objects
Administration

Location

Identifier

Read/write data from the database table using a memory optimized table

Read data from the database table using a view

Index 1 (None) PID PFORM + PID

Index 2 (None) (Custom)

Delete history

Older than months

C# / JavaScript
Statistics
Logging
History
Save
Delete

1.6.1 Location

- Select the application in which the edit form is located.
- The drop-down list contains all applications.
- Edit forms located in the “Settings” system application may not be moved or deleted.

1.6.2 Identifier

- The identifier specifies the name of the database table in the database in which the user data filled in by the user in the edit form is stored.
- The identifier is derived from the name of the edit form. It starts with the prefix “ng_”, and also contains the alphanumeric characters used in the edit form name (system edit forms do not contain “ng_”). When changing the name of the edit form, the “Correct” button is available, which is used to correct the identifier and thus rename the database table in the database. For clarity and elimination of possible misunderstandings, it is recommended to keep the identifier in accordance with the name of the edit form. If external applications also access the database and, for example, read or write data to the database table of this edit form, it is necessary to schedule the change of the identifier until a suitable time.
- The “Correct all” button is available to automatically correct the identifiers of all database controls of the edit form.

- **Read/write data from the database table using a memory optimized table**

↩ *For SQL Server only*

- In-Memory tables are database tables located in the operational memory, which are suitable for frequent writing of data – especially for creating new records (INSERT) or updating existing ones (UPDATE).
 - In-Memory tables are not suitable for troubleshooting database query processing speed while reading data (SELECT). The solution to these problems is always to set the indexes correctly.
 - Checking this box determines whether a database table with the same identifier as the edit form should be used to read and write data, with only the word “_memory” at the end of the name.
 - In-Memory tables must be created manually. For this purpose, it is possible to use the command “CREATE ng_book_memory” from the drop-down list located below the check box. This command displays a database query to create a new In-Memory table with the same structure as the edit form, and attempts to create the database table immediately.
 - In-Memory tables do not allow additional changes to the database structure. You must first delete the old table, and then create a new one with an updated structure. For this purpose, it is possible to use the command “DROP ng_book_memory” from the drop-down list located below the check box. This command displays a database query to delete an In-Memory table, and attempts to delete the database table immediately.
 - Before deleting In-Memory tables, it is important to back up the data stored in these tables, and then restore that data. To do this, you can use the command “EXPORT DATA FROM ng_book_memory TO 'Backup\ng_book_memory.xml'” from the drop-down list located below the check box, followed by “IMPORT DATA TO ng_book_memory FROM 'Backup\ng_book_memory.xml'” or “IMPORT DATA TO ng_book_memory FROM ng_book “.
- **Read data from the database table using a view**
 - Checking this box determines whether a database view with the same identifier as the edit form should be used to read the data, with only the word “_view” at the end of the name. It is not possible to write data to views, so it is recommended to hide the “Save” button in these edit forms. An error occurs when trying to save data to a view.
 - Views must be created manually. For this purpose, it is possible to use the command “CREATE ng_book_view” from the drop-down list located below the check box.
 - This command displays a database query to create a new view with the same structure as the edit form, and attempts to create the database view immediately.
 - The view created by this command has the same structure as the edit form, and therefore it is necessary to modify its definition (CREATE VIEW) additionally.
 - It is advisable to save the resulting definition in a note of the edit form, where NET Genium will search for it the next time the “CREATE ng_book_view” command is run, and run it in this wording.
 - Views do not allow additional changes to the database structure. You must first delete the old view, and then create a new one with an updated structure. For this purpose, it is possible to use the command “DROP ng_book_view” from the drop-down list located below the check box. This command displays a database query to delete the view, and attempts to delete the database view immediately.

1.6.3 Commands

- **CREATE REPORT FROM ng_book** – Creating a report on the length of strings stored in the edit form
- **CREATE ng_book_memory** – Create In-Memory table
- **IMPORT DATA TO ng_book_memory FROM 'Backup\ng_book_memory.xml'** – Import data into In-Memory table from XML file located in the “Backup” directory
- **IMPORT DATA TO ng_book_memory FROM ng_book** – Import data into the In-Memory table from the main database table of the edit form
- **EXPORT DATA FROM ng_book_memory TO 'Backup\ng_book_memory.xml'** – Export of data from the In-Memory table to an XML file located in the “Backup” directory
- **DROP ng_book_memory** – Delete In-Memory table
- **CREATE ng_book_view** – Creating a view
- **DROP ng_book_view** – Delete view
- **TRUNCATE TABLE ng_book + ng_book_history** – Delete all data in the database table, including history records, and set the primary key counter to an initial value of 1
- **TRUNCATE TABLE ng_book_history** – Delete all history records, and set the primary key counter to an initial value of 1
- **RECREATE TABLE ng_book + ng_book_history** – Data backup and re-creation of database tables, including subsequent data import

1.6.4 Index 1

- Setting the index to the “pid” database column or the associated index to the “pform” database column along with the “pid” column.

1.6.5 Index 2

- Setting the index to any list of database columns of the edit form.
- In the text box located below the check box, it is possible to define the names (identifiers) of all columns that are to be in the federated index – they should be part of the index key.

1.6.6 Delete history older than

- Setting the number of months during which it is necessary to keep the history of database records of this edit form.
- If the number of months is not filled in, the default setting of 6 months is used.
- History records older than the time period set in this way can be deleted once using:
 - “Clear history” buttons located to the right of the text box.
 - Smaller icons for deleting record history from reports. A detailed description of the reports is given in a separate manual “Administrator’s Guide”.
 - “DELETEHISTORY” server functions.

1.6.7 C#/JavaScript

- Using the “C#/JavaScript” button, a text report will be displayed with an example in C# for saving the record to the database table associated with this edit form.
- The report includes a list of all database controls in the edit form.

1.6.8 Statistics

- The statistics display aggregated information on the use of the edit form across the entire application.
- Using the “Statistics” button, a detailed report of all places where the edit form is used or referenced is displayed, including the option to open the settings of such a place or control.
- Before each deletion of the edit form, it is recommended to thoroughly go through the statistics of the editing element, and to eliminate possible misunderstandings.
- Before each deletion of the edit form, the evaluation of the statistics starts automatically. If the edit form is used or referenced somewhere in the application, it is necessary to confirm the deletion of the edit form again.

1.6.9 Logging

- Using the “Logging” button, a detailed report is displayed with records of the display of the edit form and data about
 - the date and time of displaying the edit form,
 - the user who viewed the edit form,
 - edit form processing time in milliseconds; and
 - information on whether this is the first loading of the edit form or its updating (postback).

Logging					9 / 9
#	Date	User	Time	Time [ms]	PostBack
1	09/06/2021 21:03:55	Administrator	0.016 seconds	16	
2	09/06/2021 21:03:45	Administrator	0.016 seconds	16	
3	09/06/2021 21:03:28	Administrator	0.125 seconds	125	
4	09/06/2021 21:02:26	Administrator	0.031 seconds	31	
5	09/06/2021 21:01:57	Administrator	0.031 seconds	31	
6	09/06/2021 21:01:36	Administrator	0.031 seconds	31	
7	09/06/2021 21:00:45	Administrator	0.016 seconds	16	
8	09/06/2021 21:00:00	Administrator	0.031 seconds	31	
9	09/06/2021 20:57:32	Administrator	0.047 seconds	47	

- The minimum display time for processing an edit form is set to 0 milliseconds by default, so all display records of edit forms are displayed, including those whose processing took 0 milliseconds. This minimum time can be increased or decreased by changing the “mintime” parameter in the report URL.
- The number of records is limited to 100 by default. This number can be manually increased or decreased by changing the “maxrows” parameter in the report URL.

/ Settings / Bc x +


dev.netgenium.com/martin-sevcik/(S(m3oum4eb5up3mejovafflm2j))/History2.aspx?form=23&mintime=0&maxrows=100

1.6.10 History

- Using the “History” button, a detailed report with individual change tracking records is displayed.

2 Sync settings

2.1 List of servers with which data is synchronized



netgenium Administrator /

Book U Home page

Edit form Book

Synchronisation (0)

Drag & Drop

← Back to Book...

Book


General

Other

Insert new

- TextBox
- TextArea
- RichTextBox
- ComboBox

2.2 Link to setting up a new server



The screenshot shows the netgenium administrator interface. At the top, the logo and 'Administrator / 1 user online' are visible. Below is a navigation bar with 'Book U', 'Home page', 'Settings', and 'Book' buttons. The left sidebar contains a menu with 'Synchronisation', 'Back to Book...', 'Servers', 'New server...' (highlighted with a red box), and 'My Settings'. The main content area shows the 'Book' edit form with sections for 'General' (containing a 'Book' field) and 'Other' (containing 'Latitude' and 'Longitude' fields).

2.3 Server settings

* Name	<input type="text" value="localhost"/>	?
* URL	<input type="text" value="http://localhost/netgenium"/>	?
Synchronisation password	<input type="text" value="123"/>	
* Intranet URL	<input type="text" value="http://localhost/netgenium"/>	?
Language	<input type="text" value="en"/>	?
Options	<input type="checkbox"/> TLS 1.2 <input type="checkbox"/> Ignore SSL errors <input checked="" type="checkbox"/> Proxy Server	
Proxy URL	<input type="text"/>	
Login name	<input type="text"/>	
Password	<input type="text"/>	

2.3.1 Name

- The name of the remote server, resp. NET Genium.

2.3.2 URL

- Internet address of the remote NET Genium (SSL communication via the “https” protocol can be used).

2.3.3 Synchronization password

- Synchronization password set on the remote NET Genium in the NET Genium settings.

General	Emails	Print templates	Permissions	Passwords	Colors	Other
<p>Password strength <input checked="" type="radio"/> None ? <input type="radio"/> Weak <input type="radio"/> Fair <input type="radio"/> Strong</p> <p>Print templates <input type="text"/> ?</p> <p>Restart <input type="text"/> ?</p> <p>Synchronisation <input type="text" value="123"/> ?</p> <p><i>If the password is empty, data from the remote server cannot be synchronized with your NET Genium</i></p> <p style="text-align: right;">Save</p>						

2.3.4 Intranet URL

- Intranet address of the remote NET Genium, to whose records users will be routed from e-mail messages sent by the script.

2.3.5 Language


- The language in which links will be created in e-mail messages, directing users to NET Genium entries.

2.3.6 Options

- **TLS 1.2**
 - Checking this box determines whether legacy TLS 1.2 protocol will be used on older servers to communicate with the remote NET Genium through Web services.
 - On servers running Windows 2012 and higher, TLS 1.2 is automatically selected without having to check this box.
- **Ignore SSL errors**
 - Checking this box determines whether errors in SSL certificates will be ignored when communicating with remote NET Genium via the “https” protocol.
- **Proxy Server**
 - Checking this box determines whether a Proxy Server will be used to communicate with the remote NET Genium.
- **Proxy URL**
 - Proxy Server Address.

- **Login name**
 - Login name for communication with the Proxy Server.
- **Password**
 - Password for communication with the Proxy Server.

2.4 Link to new sync settings



The screenshot displays the NetGenium administrator interface. At the top, the logo and 'Administrator / 1 user online' are visible. Below is a navigation bar with 'Home page', 'Settings', and 'Book' (highlighted). The left sidebar contains a 'Synchronisation' menu with a 'New...' option highlighted in red. The main content area shows the 'Book' settings form, including sections for 'General' and 'Other' with fields for 'Created by', 'Created on', 'Modified by', and 'Modified on'.

2.5 Sync settings

Server localhost ✓

Edit form Book Book Book ✓

Condition for synchronisation	New expression	
Columns	Book	Book <input type="checkbox"/> New expression
	Latitude	Latitude <input type="checkbox"/> New expression
	Longitude	Longitude <input type="checkbox"/> New expression
	Created by	Created by <input type="checkbox"/> New expression
	Created on	Created on <input type="checkbox"/> New expression
	Modified by	Modified by <input type="checkbox"/> New expression
	Modified on	Modified on <input type="checkbox"/> New expression

Save
Delete

2.5.1 Server

- The name of the server with which the data from the database table of the currently open edit form will be synchronized.

2.5.2 Edit form

- Edit form in the remote NET Genium, with which the data from the database table of the currently open edit form will be synchronized.


2.5.3 Condition for synchronization

- A condition that limits the scope of synchronized data to a specific set only.

2.5.4 Columns

- The column settings determine which column (left) of the remote edit form will be synchronized, and which column (right) in the currently open edit form.
- Each column can contain a condition only when the value of the column will be synchronized.

2.6 One-time synchronization of all data



The screenshot displays the NetGenium web interface. At the top, the header shows the NetGenium logo and the user role 'Administrator / 1 user online'. Below the header is a navigation bar with 'Home page', 'Settings', and 'Book' (the active page). A left sidebar contains a 'Synchronisation' menu item with a refresh icon, which is highlighted with a red box. A tooltip points to this icon, stating: 'One-time synchronisation of all data in the "Book" data table'. The main content area shows the 'Book' edit form, which includes a 'Book' field and an 'Other' section with 'Latitude' and 'Longitude' fields, each with a location pin icon and a placeholder text 'Insert coordinates...'. The 'localhost' server name is visible in the sidebar.